

WARM GLOW[®] DIMMING




USAI[®]
Lighting

USAI's Warm Glow[®] Dimming

Create the Warmth and Glow of Incandescent with LED

USAI Lighting's patented Warm Glow Dimming technology provides warmth and glow once possible only in dimmed incandescent sources. Warm Glow Dimming precisely mimics the black body curve of a standard 100W A19 lamp by gradually transitioning from 2700K, 3000K or 3500K down to 2200K. The result is virtually indistinguishable from an incandescent light source.



USAI's Warm Glow Dimming maintains superior color consistency and high color rendering during transitions from 2700K, 3000K, or 3500K down to 2200K. USAI's Warm Glow Dimming is compatible with industry standard dimming control protocols, including 0-10V, DALI and DMX.

Performs like an LED,
glows like an incandescent



Find Warm Glow® Dimming in These USAI Product Families

USAI Lighting's Warm Glow Dimming technology is available in an extensive range of shapes and sizes, form factors, and lumen packages, making warm, cozy lighting accessible for every application.

SliverLED®

SliverLED Warm Glow Dimming is the ideal product to replace halogen downlights. SliverLED's pinhole aperture and minimal appearance is an exact match to traditional sources.



1 3/4" Aperture

BeveLED Mini®

Our smallest BeveLED product, BeveLED Mini Warm Glow Dimming offers sophistication and ambiance with a 3" aperture ideally suited for residential, hospitality and retail applications.



3" Aperture

BeveLED® 2.2

Extensive options are available in this platform. Integrate great lighting with ductwork, building infrastructure and electrical with ease, in any plenum space with BeveLED 2.2 Warm Glow Dimming.



4 1/2" Aperture

BeveLED® 5.0

LED performance reaches unprecedented levels in BeveLED 5.0 Warm Glow Dimming with over 6,000 delivered lumens. Perfect for convention centers, performance halls, theaters, atriums, airports and lobbies.



6" Aperture

BeveLED BLOCK®

BeveLED Block Warm Glow Dimming is specifically designed for use with surface-mounted conduit and junction boxes in ceilings where recessed lighting is not possible. Perfect for lofts, offices, and open architectural spaces.



5" Surface Mount and Pendant

BeveLED® 2.2 & BeveLED Mini® Cylinders

Power and beauty are both in play with our sleek architectural cylinders. USAI's Warm Glow Dimming Cylinders offer a beautiful, decorative solution with satin nickel and powdercoat painted finishes while still delivering high performance.



6" Surface Mount and Pendant

3" Surface Mount and Pendant

True Zero®

True Zero Warm Glow Dimming features a distinctive textured glass lens that aligns perfectly with the ceiling plane, with Conceal and Reveal edge details that subtly accentuate shape and add visual interest to the ceiling.



3" and 4 1/2" Aperture

Connect®

USAI Connect Warm Glow Dimming adds seamlessly integrated, beautifully dimmed light for use with Armstrong Ceiling Systems. Integrated solutions for both super-slim 4" wide TechZone and new Intersection Downlighting ceiling systems are available.



4" TechZone and Intersection Downlighting Integrated Lighting



Project: Le District, Beaubourg
Lighting Design: ICRAVE
Photograph: Eric Laignel



Project: Frontgate
Architect: FRCH NELSON
Photograph: Richard Cadan / @cadanphoto



Project: Swift & Sons
Lighting Design: Morlights
Interior Design: AVRO | KO
Photograph: Courtesy of Boka Restaurant Group



Project: Meril
Architect: Rozas Ward Architects
Photograph: Neil Alexander

Warm Glow® Dimming

Warm Glow Dimming is available in eight product family platforms and counting from USAI Lighting. Warm Glow Dimming creates beautifully dimmed light that is indistinguishable from incandescent, with none of the maintenance costs, and is the perfect choice for hospitality, retail, residential and commercial applications. Visit usailighting.com/warmglow for more details.

Front cover photo:
Project: FMC Tower
Lighting Design: CBBLD
Architects: Pelli Clarke Pelli, BLT Architects
Photograph: © Jeff Goldberg / Esto

USAI, BeveLED, Warm Glow Dimming, BeveLED Mini, SliverLED, BeveLED Block, True Zero and BeveLED Connect are registered trademarks of USAI, LLC.



CALL, EMAIL, OR VISIT USAILIGHTING.COM TO LEARN MORE ABOUT WARM GLOW DIMMING.

USAI LIGHTING COLLABORATORY
13 CROSBY STREET
NEW YORK, NY 10013
(845) 234-4090
SHOWROOM@USAILIGHTING.COM

USAI LIGHTING HEADQUARTERS
1126 RIVER ROAD
NEW WINDSOR, NY 12553
(845) 565-8500
INFO@USAILIGHTING.COM

©2020 USAI Lighting. All rights reserved.
All designs protected by copyright.
Covered by US Patents 8456109, 8581520,
8742695 and 7832889. Patents pending, CA-028G